TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island Light Station MONTH OF December 1960

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	1710		245	24	5600		
EXPENDED	300		20	0	3000		
REMAINING	1410		225	24	2600		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	559.10 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	35.30 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	594.40 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Roscks Light Station	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

"J""W" Owens, BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light station Newport R. I.

DATE Thursday 1 Dec 1966 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	29.85	–	37	B/C	–	–	8	–	–
0400	W	3	29.87	–	34	B/C	–	–	8	–	–
0800	W	4	29.87	–	39	B/C	–	–	8	–	–
1200	W	5	29.89	–	39	B/C	–	–	8	–	–
1600	WNW	4	29.95	–	37	B/C	–	–	8	–	–
2000	WNW	4	29.99	–	33	B/C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1710	24	5600
EXPENDED	10	–	100
REMAINING	1700	24	5500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all vis a n
0400 - checked all vis a m
0700 - main light off
0800 - colors turned to
1200 - chow
1300 - turned to

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 2 ~~Dec~~. 1960 LOCATION Newport, Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.01	—	30	B/C	—	—	8	—	—
0400	NW	3	30.04	—	33	B	—	—	8	—	—
0800	NW	3	30.36	—	45	B	—	—	8	—	—
1200	NW	2	30.34	—	38	B	—	—	8	—	—
1600	SW	2	30.32	—	44	B	—	—	8	—	—
2000	C	—	30.32	—	36	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1700	24	5500
EXPENDED	10	—	100
REMAINING	1690	24	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0900 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main light

0800 Turn to — Colors

1200 Chow

1300 Turn to.

1600 - Main Light on - Checked all Vis A/N - secured from work details

1615 - Colors

2000 - checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible] BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 3 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	—	30.32	—	30	B	—	—	8	—	—
0400	C	—	30.34	—	28	B	—	—	8	—	—
0800	C	—	30.36	—	34	B	—	—	8	—	—
1200	NW	1	30.34	—	52	B	—	—	8	—	—
1600	NW	1	30.30	—	48	B	—	—	8	—	—
2000	C	—	30.30	—	40	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1690	24	5400
EXPENDED	10	—	100
REMAINING	1680	24	5300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Main Light off

0800 Colors – Turn to

1200 Chow

1300 Turn to

1600 Main Light on – Secured from work details – Colors –
Checked all Vis A/N

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible] BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 4 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	—	30.30	—	34	B	—	—	8	—	—
0400	NW	1	30.30	—	33	B	—	—	8	—	—
0800	NW	1	30.30	—	38	B	—	—	8	—	—
1200	C	—	30.24	—	68	B	—	—	8	—	—
1600	C	—	30.20	—	48	B	—	—	8	—	—
2000	C	—	30.20	—	42	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1680	24	5300
EXPENDED	10	—	100
REMAINING	1680	24	5200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~[illegible]~~ 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Main Light off.

0800 Colors

1200 Chow

1600 Main Light on - Colors - Checked all Vis A/N

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. [illegible] BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 5 Dec 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	—	30.21	—	38	B	—	—	8	—	—
0400	C	—	30.20	—	36	B	—	—	8	—	—
0800	NW	2	30.20	—	40	B	—	—	8	—	—
1200	NW	2	30.20	—	58	B	—	—	8	—	—
1600	C	—	30.20	—	62	B	—	—	8	—	—
2000	C	—	30.18	—	44	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1680	24	5200
EXPENDED	10	✓	100
REMAINING	1670	24	5100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Main Light off

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Main Light on - Colors - Secured from work details.
Checked all Vis A/N.

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J.V. Owens Bm

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 6 December 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	—	—	30.20	—	40	BC	—	—	8	—	—
0400	—	—	30.20	—	40	BC	—	—	8		
0800	E	2	30.24	—	42	BC	—	—	8		
1200	SW	2	30.15	—	54	BC	—	—	8		
1600	SW	2	30.10	—	52	BC	—	—	8		
2000	SW	3	30.00	—	50	BC	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1670	24	5100
EXPENDED	10	—	100
REMAINING	1660	24	5000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured Main Light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured from work - Main Light on - Colors - Checked all Vis A/N

2000 Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 7 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	29.90	—	48	BC	—	—	8	—	—
0400	NW	2	29.80	—	48	BC	—	—	8	—	—
0800	NW	3	29.80	—	50	BC	—	—	8	—	—
1200	NW	3	29.70	—	62	BC	—	—	8	—	—
1600	NW	3	29.72	—	50	BC	—	—	8	—	—
2000	NW	2	29.76	—	40	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1665	24	5000
EXPENDED	10	—	100
REMAINING	1655	24	4900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main Light

0800 Colors - Turn to.

1200 Chow

1300 Turn to

1600 Main Light on - Colors - Secured from work details - Checked all Vis A/N

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs. 8 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.80	—	36	BC	—	—	8	—	—
0400	NW	3	29.80	—	30	BC	—	—	8	—	—
0800	NW	3	29.82	—	36	BC	—	—	8	—	—
1200	NW	4	29.88	—	38	BC	—	—	8	—	—
1600	NW	4	29.90	—	36	BC	—	—	8	—	—
2000	NW	3	29.96	—	24	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1650	24	4900
EXPENDED	10	—	100
REMAINING	1640	24	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main Light.

0800 Colors - Turn to.

1200 Chow

1300 Turn to

1600 Secured from work - Main Light on - Colors - Checked all Vis A/N

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Ames Bm1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 9 Dec - 1960 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.04	—	14	BC	—	—	8	—	—
0400	NW	3	30.08	—	12	BC	—	—	8	—	—
0800	NW	3	30.20	—	20	BC	—	—	8	—	—
1200	SW	4	30.17	—	26	B	—	—	8	—	—
1600	SW	5	30.12	—	24	B	—	—	8	—	—
2000	SW	6	30.07	—	20	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1640	24	4800
EXPENDED	10	—	100
REMAINING	1630	24	4700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Main light off

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Main Light on - Colors - Secured from work - Checked all Vis A/N

1610 North Light not operating - Castle Hill informed -

2000 Checked all Vis A/N -

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 10 Dec. 1960 LOCATION Newport, Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	6	30.02	—	18	B	—	—	8	—	—
0400	W	6	29.96	—	15	B	—	—	8	—	—
0800	W	5	29.90	—	27	BC	—	—	8	—	—
1200	W	2	29.90	—	38	BC	—	—	8	—	—
1600	W	1	29.92	—	32	BC	—	—	8	—	—
2000	W	1	29.92	—	27	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1630	24	4700
EXPENDED	10	—	100
REMAINING	1620	24	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured Main Light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 - Main Light on - Colors - Checked all Vis A/N - Secured from Work -

2000 - Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. V. [illegible] BM

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 11 Dec. 1960 LOCATION Newport, Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	30.10	-	24	B	—	—	8	—	—
0400	N	2	30.16	-	19	BC	—	—	8	—	—
0800	N	1	30.22	-	19	BC	—	—	8	—	—
1200	N	1	30.24	-	20	C	—	—	8	—	—
1600	N	2	30.18	-	21	C	—	—	8	—	—
2000	N	3	30.12	-	21	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1620	24	4600
EXPENDED	10	—	100
REMAINING	1610	24	4500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
~~2000~~	~~1800~~	~~14~~	—	
TOTAL FOR DAY		~~14~~		
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all Vis A/N -

0400 checked all Vis A/N

0700 Secured main Light -

0800 Morning Colors

1200 chow

1600. Main Light on - Colors - checked all Vis A/N

2000 checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BM

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday. 12 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	5	30.00	—	30	S	—	—	1	—	—
0400	NW	9	29.76	—	30	S	—	—	1	—	—
0800	NW	10	29.40	—	30	S	—	—	1	—	—
1200	NW	11	29.30	—	20	S	—	—	1	—	—
1600	NW	9	29.49	—	18	S	—	—	3	—	—
2000	NW	7	29.60	—	12	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1600	24	4500
EXPENDED	10	—	100
REMAINING	1600	24	4400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~0700~~ 24 hr. Cycle. Time Lighted ~~1600~~

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1800	18	—	
TOTAL FOR DAY		18	—	
TOTAL FOR MONTH		18	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Started Fog signal + Gull Rocks Bell
0000 No Vis A/N

0400 No Vis A/N

0800 - Colors - Turn to - Checked for Storm damage - none at Present -
1200 - Chow - Checked for storm damage - none visible.
1300 - Turn to.
1600 - Secured - Colors - checked Vis A/N.
1800 - Secured Fog Signal
2000 - Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 13 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.64	—	7	BC	—	—	8	—	—
0400	NW	4	29.68	—	5	BC	—	—	8	—	—
0800	NW	4	29.70	—	11	BC	—	—	8	—	—
1200	NW	4	29.70	—	28	BC	—	—	8	—	—
1600	NW	3	29.70	—	16	BC	—	—	8	—	—
2000	NW	3	29.74	—	14	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1600	24	4400
EXPENDED	10	—	100
REMAINING	1590	24	4300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main light
0800 Colors - Turn to.
1200 Chow.
1300 Turn to
1600 Secured from work - Colors - main light on - Checked all Vis A/N
2000 Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BMC
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 14 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.80	—	10	BC	—	—	8	—	—
0400	NW	2	29.82	—	8	BC	—	—	8	—	—
0800	NW	2	29.88	—	14	BC	—	—	8	—	—
1200	NW	1	29.88	—	30	B	—	—	8	—	—
1600	W	1	29.88	—	26	B	—	—	8	—	—
2000	W	1	29.90	—	20	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1590	24	4300
EXPENDED	10	—	100
REMAINING	1580	24	4200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all Vis A/N

0400 - Checked all Vis A/N

0700 - Secured main Light

0800 - Colors - Turn to

1200 - Chow

1300 - Turn to

1600 - Colors - Main Light ~~off~~ on - Secured from work - Checked all Vis A/N

2000 - Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. V. Alves BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs. 15 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.92	-	18	B	—	—	8	—	—
0400	Calm		29.94	-	16	B	—	—	8	—	—
0800	Calm		29.98	-	23	B	—	—	8	—	—
1200	Calm		30.00	-	42	BC	—	—	8	—	—
1600	SW	2	29.98	-	40	BC	—	—	8	—	—
2000	SW	3	29.90	-	38	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1580	24	4200
EXPENDED	10	—	100
REMAINING	1570	24	4100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Main Light off.

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured from work - Colors - Main Light on - Checked all Vis A/N.

2000 Checked all Vis A/N -

2200 Rec'd gale warnings from Castle Hill -

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 16 Dec- 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.82	—	38	C	—	—	8	—	—
0400	W	2	29.76	—	40	C	—	—	8	—	—
0800	NW	2	29.68	—	42	R	—	—	7	—	—
1200	NW	3	29.50	—	42	R	—	—	5	—	—
1600	NW	3	29.40	—	36	R	—	—	6	—	—
2000	W	3	29.30	—	34	R	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1570	24	4100
EXPENDED	10	—	100
REMAINING	1560	24	4000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1000	1330	3	30	
TOTAL FOR DAY		3	30	
TOTAL FOR MONTH		21	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Xis A/n

0400 Checked all Xis A/n

0700 Secured main light -

0800 Colors - Turn to -

1000 Started Fog Signal + main light on -

1200 Chow

1300 Turn to

1330 Secured Fog Signal + main Light -

1600 Secured - Colors - main light on - Checked all Xis A/n

2000 Checked all Xis A/n -

CERTIFIED TO BE CORRECT

J. W. Owens Bmc
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 17 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.50	—	30	BC	—	—	8	—	—
0400	NW	2	29.66	—	28	BC	—	—	8	—	—
0800	SW	4	29.80	—	30	BC	—	—	8	—	—
1200	SW	4	29.90	—	34	BC	—	—	8	—	—
1600	SW	4	29.98	—	32	BC	—	—	8	—	—
2000	SW	4	30.04	—	30	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1560	24	4000
EXPENDED	10	—	100
REMAINING	1550	24	3900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Main Light off

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured - Main Light on - Colors - Checked all Vis A/N

2000 Checked all Vis A/N -

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 18 Dec - 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	30.16	—	28	B	—	—	8	—	—
0400	SW	3	30.20	—	30	B	—	—	8	—	—
0800	SW	2	30.24	—	36	B	—	—	8	—	—
1200	SW	2	30.28	—	40	B	—	—	8	—	—
1600	NW	2	30.20	—	30	BC	—	—	8	—	—
2000	NW	2	30.22	—	28	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1550	24	3900
EXPENDED	10	—	100
REMAINING	1540	24	3800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main light

0800 Colors - Turn to

1200 Chow

1600 - Colors - main light on - Checked all Vis A/N

2000 - Checked all Vis A/N -

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 19 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.24	—	28	B	—	—	8	—	—
0400	calm		3022	—	26	B	—	—	8	—	—
0800	calm		30.10	—	36	BC	—	—	8	—	—
1200	SW	2	30.10	—	40	BC	—	—	8	—	—
1600	SW	2	30.10	—	36	BC	—	—	7	—	—
2000	SW	3	30.10	—	30	C	—	—	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1540	24	3800
EXPENDED	10	—	100
REMAINING	1530	24	3700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1415

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1415	1515	1	—	
1845	2015	1	30	
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		24	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Ais A/N

0400 Checked all Ais A/N

0700 Secured ~~from~~ main light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1415 Started Fog Signal - Gull Rocks Bell - Main Light on

1515 Secured Fog Signal + Gull Rocks Bell

1600 Colors - Checked all Ais A/N. - Secured from work.

1845 Started Fog signal.

2000 Checked Ais A/N

2015 Secured fog signal + Gull Rocks Bell.

CERTIFIED TO BE CORRECT

J. W. Owens

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 20 Dec - 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	3	30.15	—	22	BC	—	—	8	—	—
0400	NW	2	30.20	—	18	B	—	—	8	—	—
0800	NE	2	30.26	—	24	B	—	—	8	—	—
1200	NW	2	30.26	—	42	BC	—	—	8	—	—
1600	SW	2	30.26	—	30	BC	—	—	8	—	—
2000	SW	2	30.26	—	28	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1520	24	3700
EXPENDED	10	—	100
REMAINING	1510	24	3600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main Light
0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Secured from Work - Colors - main light on - Checked all Vis A/N.
2000 Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. V. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 21 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	30.10	—	38	C	—	—	8	—	—
0400	SE	4	30.00	—	38	R	—	—	7	—	—
0800	NE	4	29.80	—	40	R	—	—	7	—	—
1200	E	4	29.50	—	46	R	—	—	7	—	—
1600	SE	4	29.48	—	42	R	—	—	7	—	—
2000	NW	3	29.40	—	36	R	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1510	24	3600
EXPENDED	10	—	100
REMAINING	1500	24	3500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	✓	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 main light off

0800 Colors - Turn to -

1200 Chow

1300 Turn to

1600 Colors - Main light on - Secured from work - Checked all Vis A/N

2000 . Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. V. Owens BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs. 22 Dec. 1960 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.54	–	30	BC	–	–	8	–	–
0400	NW	2	29.66	–	20	BC	–	–	8	–	–
0800	NW	3	29.88	–	22	BC	–	–	8	–	–
1200	NW	2	30.00	–	36	BC	–	–	8	–	–
1600	W	2	30.10	–	26	BC	–	–	8	–	–
2000	SW	2	30.10	–	24	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1500	24	3500
EXPENDED	10	–	100
REMAINING	1490	24	3400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0730 Secured main light

0800 Colors - Turn to

1200 Chow.

1300 Turn to

1600 Main Light on - Colors - Checked all Vis A/N -

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. V.

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 23 Dec. 1960 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.14	–	18	BC	–	–	8	–	–
0400	SW	3	30.20	–	14	BC	–	–	8	–	–
0800	NW	2	30.24	–	20	BC	–	–	8	–	–
1200	NW	4	30.30	–	26	BC	–	–	8	–	–
1600	NW	4	30.33	–	24	BC	–	–	7	–	–
2000	NW	3	30.38	–	19	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1490	24	3400
EXPENDED	10	–	100
REMAINING	1480	24	3300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0730 Main light off

0800 Colors - Turn to.

1200 Chow

1300 Turn to

1600 Secured from work - Colors - Main light on - Checked all Vis A/N

2000 - Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. D. Owens BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE Saturday 24 Dec. 60 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.42	—	17	o	—	—	8	—	—
0400	C 2/m		30.47	—	16	O	—	—	8	—	—
0800	C 2/m		30.54	—	20	O	—	—	8	—	—
1200	C 2/m		30.59	—	26	O	—	—	8	—	—
1600	NW	1	30.54	—	26	O	—	—	8	—	—
2000	NW	2	30.50	—	26	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1480	24	3300
EXPENDED	10	—	100
REMAINING	1490	24	3200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all a/n
0400 Checked all a/n
0700 Main light off
0800 Colors - Turned To
1200 chow
13.00 Turned To
1600 Secured - checked all a/n - main lite on
1615 Colors
2000 Checked all his A/n

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 25 Dec 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	30.45	—	28	C	—	—	8	—	—
0400	W	2	30.40	—	30	C	—	—	8	—	—
0800	SW	2	30.30	—	34	C	—	—	8	—	—
1200	SW	3	30.24	—	40	BC	—	—	8	—	—
1600	SW	3	30.22	—	36	BC	—	—	8	—	—
2000	SW	3	30.20	—	36	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1480	24	3200
EXPENDED	10	—	100
REMAINING	1470	24	3100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000	Checked All Vis A/N
0400	Checked All Vis A/N
0730	Main Light off
0800	Colors
1200	Chow
1600	Main Light on - Checked All Vis A/N - Colors -
2000	Checked All Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 26 Dec 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.14	—	34	BC	—	—	8	—	—
0400	SW	3	30.10	—	32	BC	—	—	8	—	—
0800	SW	3	30.06	—	36	BC	—	—	8	—	—
1200	SW	3	30.00	—	38	BC	—	—	8	—	—
1600	SW	3	29.89	—	43	BC	—	—	8	—	—
2000	SW	2	29.82	—	42	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1470	24	3100
EXPENDED	10	—	100
REMAINING	1460	24	3000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/n

0400 Checked all Vis A/n.

0730 Secured main light

0850 Colors. Holiday Routine

1200 Chow

1600 Main light on + checked all vis. A/n + colors

2000 Checked all vis A/n

CERTIFIED TO BE CORRECT

J. W. [illegible] BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE Tuesday 27 Dec. 60 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2975	—	42	Bc	—	—	8	—	—
0400	W	3		—	42	BC	—	—	8	—	—
0800	W	4	30.05	—	40	Bc	—	—	8	—	—
1200	W	3	30.11	—	39	Bc		—	8	—	—
1600	W	3	30.29	—	35	BC	—	—	8	—	—
2000	W	2	30.35	—	31	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1460	24	3000
EXPENDED	10	—	100
REMAINING	1450	24	2900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all vis A/n

0400 checked all vis A/n

0730 Main lite off

0800 colors

1200 chow

1300 Turned To

1600 Secured - checked all a/n - main lite on

1615 colors

2000 Checked all vis a/n

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 28, 60 LOCATION Newport, RI
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Nw	4	3049	—	29	Bc	—	—	8	—	—
0400	NW	3	30.49	—	30	B/C	—	—	8	—	—
0800	SW	1	31.49	—	33	F	—	—	8	—	—
1200	SW	1	30.50	—	30	B	—	—	8	—	—
1600	SW	2	30.51	—	27	B	—	—	8	—	—
2000	SW	1	30.47	—	25	B	—	—	8	8	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1450	24	2900
EXPENDED	10	—	100
REMAINING	1440	24	2800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- checked all nis a n

0400- checked all nis a n

0730- main light off

0800- colors turned to

1200- chow

1300- turned to

1600- colors secured- checked all nis A/n

2000- checked all nis a n

CERTIFIED TO BE CORRECT

J. W. [illegible] Bm1

(*Officer in Charge*)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light station

DATE 29 December 1960 Thursday LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	30.45	–	24	B/C	–	–	8	–	–
0400	SW	1	30.37	–	26	0	–	–	8	–	–
0800	C	–	30.30	–	30	0	–	–	8	–	–
1200	NW	3	30.20	–	34	S	–	–	3	–	–
1600	N	2	30.10	–	32	R	–	–	7	–	–
2000	N	1	30.00	–	30	R	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1440	24	2800
EXPENDED	10	–	100
REMAINING	1430	24	2700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 0930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0930	1930	10	00	
2300	2400	1	00	
TOTAL FOR DAY		11	00	
TOTAL FOR MONTH		35	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0600 - Checked all vis a/n
0400 - checked all vis a/n
0730 - main light off
0800 - colors turned to
0930 - Started Fog Signal + Gull Rocks Bell
1200 - Chow
1300 - Turn to
1600 - Colors - Secured from work - Checked Vis A/N
1930 - Secured fog signal.
2000 - checked all Vis A/N
2300 - Started Fog signal + Gull Rocks Bell

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG–3188 (12–50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 30 Dec 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.96	—	34	R	—	—	5	—	—
0400	Calm		29.90	—	32	C	—	—	8	—	—
0800	Calm		29.80	—	34	C	—	—	8	—	—
1200	NW	2	29.80	—	48	BC	—	—	8	—	—
1600	W	2	29.90	—	46	BC	—	—	8	—	—
2000	SW	2	29.94	—	38	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1430	24	2700
EXPENDED	10	—	100
REMAINING	1420	24	2600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0030	—	30	
TOTAL FOR DAY		—	30	
TOTAL FOR MONTH		35	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Lts A/N

0030 Secured fog signal + Gull Rocks Bell

0400 Checked all Lts A/N

0730 Secured main light

0800 Colors - Turn to.

1200 Chow

1300 Turn-to

1600 Secured from work - Main light on - Colors - Checked all Lts A/N

2000 Checked all Lts A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 31 Dec. 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.00	—	30	BC	—	—	8	—	—
0400	Calm		30.00	—	26	BC	—	—	8	—	—
0800	SW	2	30.04	—	32	BC	—	—	8	—	—
1200	SSW	1	30.02	—	38	BC	—	—	8	—	—
1600	SW	1	30.00	—	36	BC	—	—	8	—	—
2000	SSW	2	30.00	—	34	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1420	24	2600
EXPENDED	10	—	100
REMAINING	1410	24	2,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all Vis A/N

0400 checked All Vis A/N

0730 Secured main light

0800 Colors - Turn to

1200 Chow

1300 Turn to

1600 Secured-Work - colors - Main light on - checked all Vis A/N

2000 Checked All Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1